

MW-9536

Seat No.

Third Year B. Physiotherapy Examination January - 2018

Surgery: Paper-II

Time	3 Hours] [Total Marks : 10) 0				
1) Y 2)]	ctions: rite each section in separate answerbook. gure to the right indicates full marks. raw figure where necessary.					
	SECTION – I (Cardio-Thoracic Surgery)					
(20				
(ite Short Notes : (Any Two) Prosthetic heart valves Pulmonary function test Chest physiotherapy					
(((Trite In Brief: (Any Five) 10 11 12 13 14 16 16 17 17 18 18 18 19 19 19 19 19 19 19					
(Select The Most Appropriate Answer From The Options Given Below Each Question (All Questions Compulsory) (a) True regarding hydatid cyst of lung is (1) Calcification is common (2) Never ruptures (3) More common in lower lobes (4) Associated with liver hydatid cyst					
MW-9	,	l				

- (b) Most common benign tumour of lung is
 - (1) Hamartoma
 - (2) Teratoma
 - (3) Alveolar adenoma
 - (4) Fibroma
- (c) Spontaneous pneumothorax is commonly seen in
 - (1) Smokers
 - (2) Old age
 - (3) Young female
 - (4) Short statured man
- (d) Treatment of choice for tension pneumothorax is
 - (1) Immediate intercostal tube drainage
 - (2) Continuous aspiration by needle
 - (3) Intermittent aspiration by needle
 - (4) Thoracotomy with repair of leakage
- (e) VATS refers to
 - (1) Vaccum assisted thoracic surgery
 - (2) Video assisted thoracoscopic surgery
 - (3) Video assisted transplant surgery
 - (4) None of the above
- (f) True statement about adenocarcinoma lung is
 - (1) Not associated with smoking
 - (2) Central cavitation is characteristic feature
 - (3) Peripheral involvement is common
 - (4) Upper lobe involvement is common
- (g) In Pancoast tumour following is seen except
 - (1) Horner syndrome
 - (2) Rib erosion
 - (3) Hemoptysis
 - (4) Pain in shoulder and arm
- (h) All of the following conditions may predispose to pulmonary embolism except
 - (1) Protein S-deficiency
 - (2) Malignancy
 - (3) Obesity
 - (4) Progesterone therapy
- (i) Valvoplasty is done in all following except
 - (1) Coarctation of aorta
 - (2) Mitral stenosis
 - (3) Aortic stenosis
 - (4) Aortic regurgitation

		(3)	Flushing Paralysis Anaesthesia	
			SECTION - II (Orthopaedics)	
5	(a)	Gout Rhe	ng essay on the following : (any two out of thre o t umatoid arthritis scular necrosis of femoral head	e) 20
6	(a) (b)	Ulna Tend	Short on following: (any two out of three) ar nerve palsy, don transfers coarthritis knee	10
7	Writ (a) (b) (c) (d) (e) (f)	Caus Trigg Rota Oste Hype	short: (Five out of six) salgia (sudeck's) ger finger ator cuff tear of shoulder coporosis erparathyrodism ch fracture	10
8	Selection (1)	In so of the (a) (b) (c)	External rotation	10
	(2)	fract (a) (b)	nerve mostly likely to get injured in patients wit ture of upper end of radius is ? Median Ulnar PIN Radial	h
	(3)		malunion of supracondylar fracture of humeru t commonly leads to ? Flexion deformity Cubitus varus Cubitus valgus Extension deformity	S
MW-s	9536]	3 [C	ontd

(j) Acute vascular ischaemia manifest as except

(1) Pulselessness

MW-9536] 4 [130/13]
	(d) Osteoporosis
	(c) Osteosarcoma
	(b) GCT
	(a) Osteiod osteoma
(10)	Sunray burst appearance on Xray is seen in ?
	(d) Brucellar Osteomyelitis
	(c) Salmonella Osteomyelitis
	(b) Garre osteomyelitis
	(a) Brodie's abscess
(9)	All the following are true of primary subacute osteomyelitis except ?
(0)	
	(d) Hugh Owen Thomas
	(c) Wolffe
	(a) Pauwels(b) Andrey
	described by ?
(8)	Normal bone remodeling in response to stress was
	(d) Chondro myxoid fibroma
	(c) Ewing's sarcoma (d) Chandra myyaid fibrana
	(b) Osteosarcoma
	(a) Osteoclastoma
(7)	Which tumour arises from the epiphysis?
	(d) Motor symptoms precede sensory symptoms
	of median nerve
	(c) Erythema is present in the cutaneous distribution
	(b) Pain worsens at night
(6)	What is a typical feature of carpal tunnel syndrome? (a) Symptoms diminish by wrist flexion
(0)	
	(d) Small pox arthritis
	(c) Septic arthritis of infancy
	(a) Acute gonococcal arthritis(b) Chronic pyogenic arthritis
(5)	Tom Smith arthritis is the other name for?
/=\	
	(d) Multicentric histocytes
	(c) Rheumatoid arthritis
	(b) Psoriatic arthritis

(4) DIP joint is not involved in ?
(a) Neuropathic arthropathy