



**BCC-4833**

Seat No. \_\_\_\_\_

**Third Year B. D. S. Examination**

**August - 2021**

**General Surgery**

*(New Course)*

Time : 3 Hours]

[Total Marks : 70

**Instruction :** Write each section in separate answer book.

**SECTION - I (35 Marks)**

1 Classify salivary gland features. Write in detail about management of pleomorphic adenoma. **10**

**OR**

1 Describe differential diagnosis of the swellings of jaw. **10**

2 Discuss aetiology, clinical features and management of Tetanus. **10**

3 (A) Write short notes : (any **two**) **10**

- (1) Ranula
- (2) Cystic Hygroma
- (3) Carbuncle

(B) Write answers from given choices : **5**

- (1) Most sensitive investigation for Thyroid nodule is
  - (a) MRI
  - (b) PET Scan
  - (c) USG
  - (d) Clinical examination
- (2) In India, most common cause of unilateral lymphoedema of lower limbs is
  - (a) lymphoedema tarda
  - (b) Carcinoma penis
  - (c) Filariasis
  - (d) TB lymphadenopathy

- (3) Head and neck involvement in burns in infant is
- (a) 9%
  - (b) 18%
  - (c) 27%
  - (d) 26%
- (4) The commonest clinical pattern of Basal cell carcinoma is
- (a) Nodular
  - (b) Superficial
  - (c) Keratofic
  - (d) Morpheatorm
- (5) Most common malignancy found in Marjolin's ulcer is
- (a) Basal cell carcinoma
  - (b) Squamous cell carcinoma
  - (c) Malignant melanoma
  - (d) Malignant fibrous histiocytoma

**SECTION - II (35 Marks)**

- 4** Describe clinical features, investigation and management of Thyrotoxicosis. **10**
- OR**
- 4** Describe clinical features, etiology, spread and treatment of Malignant melanoma. **10**
- 5** Describe clinical features, spread, investigation and treatment of carcinoma Tongue. **10**
- 6** (A) Write short notes : (any **two**) **10**
- (1) Odontomas
  - (2) Personal protection equipment kit for surgeon
  - (3) Acidosis

(B) MCQ :

5

- (1) Sebaceous cyst does not occur in
    - (a) Scale
    - (b) Scrotum
    - (c) Back
    - (d) Sole
  
  - (2) Causes of persistence of a sinus includes
    - (a) Foreign body
    - (b) non dependant drainage
    - (c) Presence of suture
    - (d) Presence of mass
    - (e) All of above
  
  - (3) Ulcer with undermined edge is seen in
    - (a) Malignant ulcer
    - (b) Tubercular ulcer
    - (c) Venous ulcer
    - (d) Trophic ulcer
  
  - (4) A clean incised wound heals by
    - (a) Primary intension
    - (b) Secondary intension
    - (c) Excessive scarring
    - (d) None of above
  
  - (5) The most strongly implicated pre-malignant condition of oral cavity is
    - (a) Fordyce spots
    - (b) Erythroplasia
    - (c) Median rhomboid glossitis
    - (d) Erythema multiforme
-